



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/065,005	09/09/2002	Vinod Nair Gopikuttan Nair	2000P17005US	3747

31366 7590 04/05/2005

HORIZON IP PTE LTD
8 KALLANG SECTOR, EAST WING
7TH FLOOR
SINGAPORE 349282, 349282
SINGAPORE

EXAMINER

DALEY, CHRISTOPHER ANTHONY

ART UNIT

PAPER NUMBER

2111

DATE MAILED: 04/05/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/065,005	NAIR ET AL.	
	Examiner	Art Unit	
	Christopher A Daley	2111	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on 18 January 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-23 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-23 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 09 September 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claims 1 – 23 are pending.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1 – 23 are rejected under 35 U.S.C. 102(b) as being anticipated by Klingman (US6219736).

1. As to claims 1,9, and 23,Klingman discloses an interface unit and method for communication between an integrated services digital network (ISDN) based bus and a processor bus, wherein data in the ISDN-based bus is transferred in ISDN frames divided into a plurality of slots comprising: (Klingman teaches of a interface unit 404 of figure 16 between an ISDN based bus 406, and a processor bus 400, where data is divided into a plurality of ISDN frames into a plurality of slots by using USB Ram device 130 of figure shown in detail in figure 5, COL. 11, line 32 – COL. 12, line 12) a data transfer unit includes a processor bus interface coupled to a processor bus, the processor bus interface includes a processor buffer, (Klingman teaches of processor bus interface in 430 of figure 17 coupled to the processor bus 400, coupled to a processor bus USB RAM 130)

Art Unit: 2111

An ISDN bus interface coupled to an ISDN-based bus interface includes an ISDN buffer (Klingman teaches of ISDN interface 432 of figure 17, coupled to bus 406 includes an ISDN buffer 140)

A control unit coupled to the data transfer unit for controlling the transfer of data between the processor bus and ISDN-based bus, wherein the interface unit is capable of accessing all slots in an ISDN frame (Klingman teaches of control unit UC in figure 4 (140) that manages the data flow between said busses, and access to the innards of each data packet (figure 13), the B channels, COL. 9, lines 30 – 53, COL. 20, lines 13 – 2).

2. As to claims 2 and 3, (Klingman teaches that the buffer (252 of figure 5) coupled to the ISDN bus interface comprising a group of register banks, said group of register banks having a control input terminal. Klingman teaches of buffer being a dual port memory register, controlled by control register 198, COL. 12, lines 1 – 10).

3. As to claim 4, (Klingman discloses the interface unit wherein the ISDN buffer comprises one shift register for parallel/serial data conversion. (Klingman teaches that said buffer is a dual port memory that can be configured as a shift register to afford the parallel to serial configuration, COL. 12, lines 5 – 10).

4. As to claim 5, Klingman discloses the interface unit of wherein the processor bus interconnects a central processing unit, a memory unit and peripheral devices.

Art Unit: 2111

(Klingman teaches in figure 5 of a processor, 198, memory unit 214, and peripheral device connected through USB bus 148, and ISDN bus DATA bus).

As to claim 6, Klingman disclose the interface unit wherein the ISDN-based bus comprises an ISDN-oriented modular bus for coupling to voice, data and/or video devices. (Klingman teaches of said configuration in figure 17).

5. As to claims 7 and 8, Klingman discloses the interface unit wherein said processor bus is connected to a high-speed data transfer unit. (Klingman teaches that the processor bus can be a USB or fire wire bus, COL. 1, lines 45 – 60, figure 17).

6. As to claim 10, Klingman discloses the interface wherein the control unit is programmed to determine the direction of data transfer and which slot or slots to access. (Klingman teaches of the control unit determining of data transfer through the set of phase of the transfer, COL. 4, line 5 – 7).

7. As to claims 11, 13,15,16, Klingman discloses the interface either operates in frame-based processing or in slot-based processing. (Klingman teaches of the interface using frame based processing, COL. 1, lines 63 – 67).

8. As to claims 12, and 14, Klingman discloses the interface of claim 10 wherein the data transfer unit comprises a memory module for buffering data that are to be

Art Unit: 2111

transferred between the processor bus and the ISDN-based bus. (Klingman teaches of a data transfer unit comprising a memory module 214 of figure 5 for buffering data between said buses).

9. As to claim 17, Klingman discloses the interface wherein the data transfer unit comprises:

processor bus interface storage (PBIS) block coupled to the processor bus, wherein the PBIS includes a PBIS memory unit for storing data that are to be transferred to or received from the processor bus; (Klingman teaches of interface storage elements 228, 230 of figure 5 coupled to processor bus to transfer or receive data from the processor bus, COL. 12, lines 12 – 25).

10. As to claim 18, Klingman discloses the interface wherein the control unit comprises a control register block (CRB) coupled to the processor bus for receiving control information for programming the interface, wherein based on the information, the appropriate time slots and direction are selected for data transfer. (Klingman teaches of control register block 198 coupled to processor bus 212 that controls the programming of the interface, COL. 11, lines 9 – 20).

11. As to claim 19, Klingman discloses the interface of claim 17 wherein the data transfer unit further comprises an interface buffer (IB) coupled to the PBIS and IBIS, the IB provides intermediate buffering of data between the PBIS and the IBIS blocks.

Art Unit: 2111

(Klingman teaches of interface buffer 174 of figure 5, which provides intermediate buffering, COL. 12, lines 12 – 25).

12. As to claims 20 and 21, Klingman discloses the interface wherein the IB comprises a plurality of register banks, each register bank comprising a plurality of registers to form a register stack. (Klingman teaches of interface register 252, and 254 of figure 5 comprising a plurality of register banks in the form of dual port memories, COL. 12, lines 5 – 10).

13. As to claim 22, Klingman discloses interface 9 wherein the control comprises a control register block (CRR) coupled to the processor bus for receiving control information for programming the interface, wherein based on the information, the appropriate port time slots and direction are selected for data transfer. (Klingman teaches of a control register block 198 that performs said functions, COL. 13, line 63 – COL. 14, line 8).

Response to Arguments

Applicant's arguments, with respect to the rejection of claim 1 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn.

However, upon further consideration, a new ground(s) of rejection is made in view of Klingman.

Regarding applicant's argument that Jirgal does not teach an interface for communication between an ISDN-based bus, and a processor bus, wherein the interface unit is capable of accessing all slots of an ISDN frame, applicant's argument is persuasive, however Klingman teaches said interface as described above.

Regarding applicant's argument that neither Jirgal or Klingman teaches access to all slots of an ISDN frame, Klingman teaches of control unit UC in figure 4 (140) that manages the data flow between said busses, and access to the innards of each data packet (figure 13), the B channels, COL. 9, lines 30 – 53, COL. 20, lines 13 – 2.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 2111

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 2111

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher A Daley whose telephone number is 571 272 3625. The examiner can normally be reached on 9 am. - 4p m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Rinehart can be reached on 571 272 3632. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



CAD
3/24/05



TIM VO
PRIMARY EXAMINER